Texas Centers for Infectious Disease Associates Pharmacy FORT WORTH / 1025 College Ave., Fort Worth, TX 76104 Email: tcidaintake@tcida.net

Phone: 817-336-1640 Fax: 817-336-1643

DALLAS / 3410 Worth St., Ste. 780, Dallas TX 75246



Patient Information							Prescriber Information						
Patient name:							Prescriber name:						
DOB: SSN:							DEA:						
Address:							NPI License:						
City: State: Zip:							Address:						
Phone #:							City: State: Zip:					Zip:	
Gender: □Male □Female □Other							Phone: Fax:						
Insurance Information: Complete entirely and fax front and back of patient's insurance card													
Primary Insurance Subscriber				ID:			Name of insurer:				Phone:		
Secondary Insurance Subscribe		Subscriber			ID:			Name of insurer:			Phone:		
Prescription card: Na		Name of in	Name of insurer:		ID:			BIN: PCN:			Group	o:	
ICD 10 and Diagnosis: Patient History													
ICD 10:					Weight □KG □LB			В			Height □IN □CM		
Diagnosis:						llergies: Registry number: ALZH							
Provider Orders:													
	Drug		Dose			Route		Frequency			Therapy length		
MEDICATION	□ Leqembi		Initial dosing: 10mg/kg (mg)			IV		Q2 weeks			X 18 months		
	□ Leqembi		Maintenance dose 10mg/kg (mg)			IV		☐ Q2 weeks ☐ Q4 weeks			X 1 year		
PRE- MEDICATION		□ Acetaminophen 325 mg PO □ Diphenhydramine 25 mg PO □ Diphenhydramine 25 mg IV □ Dexamethasone 4mg IVP □ Other: □ Othe											
					MR	ī							
- Baseline brain MRI needed - Brain MRI must be provided prior to the 3 rd ,5 th , 7 th and 14 th infusions. *Please fax MRI report with MRI approval document to 817-336-1643 prior to the 3 rd , 5 th , 7 th and 14 th infusion *													
Nursing: Evaluate and teach patient administration of IV ABX, provide IV-line dressing change weekly and PRN, use SASH flushing protocol: S-Saline 10ml, A- administration medication, S- saline 10ml, H-Heparin 5ml (100units/ml). When on more than one dose per day patient to alternate lumens for administration													
Prescriber Authorization: I authorize this pharmacy and its representative to act as my agent to secure coverage, dose IV antibiotics based on labs, provide supplies necessary for infusion and initiate the insurance prior authorization process for my patient(s), and to sign any necessary forms on my behalf as my authorized agent. Prescriber signature: Date:													
Date:													

Texas Centers for Infectious Disease Associates Pharmacy FORT WORTH / 1025 College Ave., Fort Worth, TX 76104 Email: tcidaintake@tcida.net

Phone: 817-336-1640 Fax: 817-336-1643

DALLAS / 3410 Worth St., Ste. 780, Dallas TX 75246



MRI Approval Document

Patients Name:	
Patients DOB:	
•	rith MRI approval document to 817-336-1643 or
<u>teida</u>	aintake@ticda.net
prior to the 3 rd	d, 5th, 7th and 14th infusion *
☐ MRI Report	
☐ MRI report reviewed and approval to infus	se insert infusion number} infusion
Prescriber signature:	
Date:	
☐ MRI report reviewed and approval to infus Prescriber signature:	

Texas Centers for Infectious Disease Associates Pharmacy

FORT WORTH / 1025 College Ave., Fort Worth, TX 76104

Email: tcidaintake@tcida.net

Phone: 817-336-1640 Fax: 817-336-1643

DALLAS / 3410 Worth St., Ste. 780, Dallas TX 75246



Referral check off

- o MD note
 - ❖ Typical H&P with any pertinent information relating to the patient's diagnosis, condition and symptoms, if the patient has any history of ARIA (ARIA-E or ARIA-H)
 - ❖ For Wellmed patients: Stating MD is not capable and trained to administer a CDR
- Demographic sheet
- Last set of labs
- o Confirmation of amyloid pathology
 - ❖ Amyloid positron emission tomography (PET) scan
 - OR
 - ❖ Cerebrospinal fluid (CSF)
- o Cognitive assessment with a validated tool (within 3 months)
 - Clinical dementia rating (CDR) scale
 - OR
 - ❖ Mini-mental state exam (MMSE) score
 - OR
 - ❖ Montreal Cognitive assessment (MoCA)
- Functional assessment with a validated tool
 - ❖ The functional activities questionnaire (FAQ) score
- o Baseline MRI
 - ❖ Subsequent MRI prior to 3rd. 5th, 7th and 14th infusion
 - Each MRI will be faxed with MRI approval document