Texas Centers for Infectious Disease Associates Pharmacy FORT WORTH / 1025 College Ave., Fort Worth, TX 76104

Phone: 817-336-1640 Fax: 817-336-1643

Email: TCIDAINTAKE@tcida.net

DALLAS / 3410 Worth St., Ste. 780, Dallas TX 75246



Patient Information				Prescriber Information					
Patient name:				Prescriber name:					
DOB: SSN:					DEA:				
Address:					NPI License:				
City: State: Zip:				Address:					
Phone #:				City:	City: State: Zip:				
Gender: □Male □Female □Other			Phone:	none: Fax:					
Insurance Information: Complete entirely and fax front and back of patient's insurance card									
Primary Insurance		Subscriber	ID:		Name of insurer:		Phone:		
Secondary Insurance		Subscriber	ID:		Name of insurer:		Phone:		
Prescription card:		Name of insurer:	ID:		BIN:	PCN:	Group:		
ICD 10 and Dispussion					History				
ICD 10 and Diagnosis:					Patient History:				
ICD 10: ☐ T86.10 Unspecified complication of kidney transplant					Weight □KG □LB Height □IN □CM				
☐ T86.12 Kidney transplant failure					□NKDA				
☐ T86.11 Kidney Transplant Rejection					□Allergies:				
☐ T86.13 Kidney Transplant Infection									
☐ Other:									
□Clinical/prog	ress notes, la	bs and test supporting diagno	d l						
Provider Orders:									
Trovider Gracis.	Drug	Dose	Directions Refills						
MEDICATION			2.100110110						
	□ Nulojix	□ 10mg/kgmg		□ Initial Dose: IV at					
		☐ 5mg/kg (dose divisible by 12.5)	☐ Maintenance dose: IV every 4 weeks (+/- 3days)						
		(asse americally line)							
LABS									
Baseline labs on a	dmission and t	hen drawn weekly while on thera			differential □	CMP 🗆 CRP	Ouant □ESR □0	CK	
Baseline labs on admission and then drawn weekly while on therapy □CBC with differential □ CMP □ CRP Quant □ESR □CK □other: □									
Nursing: Evaluate and teach patient administration of IV medication, provide IV-line dressing change weekly and PRN, use SASH flushing protocol: S-Saline 10ml, A- administration medication, S- saline 10ml, H-Heparin 5ml (100units/ml). When on more than one dose per day patient to alternate lumens for administration									
Prescriber Authorization: I authorize this pharmacy and its representative to act as my agent to secure coverage, provide supplies necessary for infusion and initiate the insurance prior authorization process for my patient(s), and to sign any necessary forms on my behalf as my authorized agent.									
Prescriber signature: Date:									

Texas Centers for Infectious Disease Associates Pharmacy

FORT WORTH / 1025 College Ave., Fort Worth, TX 76104

Phone: 817-336-1640 Fax: 817-336-1643

Email: TCIDAINTAKE@tcida.net

DALLAS / 3410 Worth St., Ste. 780, Dallas TX 75246



Referral check off

- H&P
 - ❖ Typical H&P with any pertinent information relating to the patient's diagnosis, condition and transplant history
- MD Note
 - ❖ Documentation that states patient is converting from or has converted from a calcineurin inhibitor (ie: cyclosporin, pimecrolimus, tacrolimus, voclosporin)
- o Demographic sheet
- Last set of labs
 - ❖ Must have labs showing Epstein Barr Virus (EBV) as sero-positive
- Medication Profile
 - Must show that Nulojix is being used in conjunction with basiliximab induction, mycophenolate mofetil and corticosteroid.
- Letter of Medical Necessity (LOMN)
 - ❖ States patients H&P, transplant history, why Nulojix is being prescribed and the conversion from calcineurin inhibitor
 - ❖ Address the agent of induction